

	Type	L #	Hits	Search Text	DBs
1	IS&R	L1	2	("6819212").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
2	IS&R	L2	2	("6927507").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
3	IS&R	L3	2	("6960850").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
4	IS&R	L4	3	("6700234").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
5	IS&R	L5	339	(310/257) .CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
6	IS&R	L6	1259	(310/43) .CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
7	IS&R	L7	2037	(310/49r) .CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
8	IS&R	L8	3194	(310/12) .CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
9	IS&R	L9	452	(310/80).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
10	BRS	L10	7009	L5 L6 L7 L8 L9	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
11	IS&R	L11	2279	(336/90,198).CCLS.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L12	1603	335/296,299.ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
13	BRS	L13	44	(bobbin same (flash flashes)) and coil	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
14	BRS	L14	26	(coil wire) same (coating layer insluation) same (thickness width) and bobbin and (flash flashes flashing)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L15	1231	(coil wire winding conductor) near3 (insluat\$4 coating) near3 thickness	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
16	BRS	L16	32	(thermoset adj epoxy) and enamel	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	32	(coating layer insluation) and "thermoset epoxy" and enamel	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	L18	317	lubric\$5 with bobbin	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
19	BRS	L19	36	((coil wire conductor) same (coating layer insluation)) same (thermoset and enamel)	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TD B
20	BRS	L20	939	(coil same cover).clm.	US- PGPUB
21	BRS	L21	1	((wire conductor) same insulat\$4 same thermoset same layer).clm.	US- PGPUB
22	BRS	L23	0	20 and 22	US- PGPUB
23	BRS	L22	39	((wire conductor) same insulat\$4 same weld\$3 same layer).clm.	US- PGPUB
24	BRS	L24	6	(lubric\$5 with bobbin).clm.	US- PGPUB
25	BRS	L25	718	(coil and bobbin).clm.	US- PGPUB
26	BRS	L26	0	22 and 25	US- PGPUB

	Type	L #	Hits	Search Text	DBs
27	BRS	L27	0	((wire conductor) same enamel same thermoset same layer).clm.	US-PGPUB
28	BRS	L28	0	((wire conductor) and enamel and thermoset and layer).clm.	US-PGPUB
29	BRS	L29	0	((wire conductor) and enamel and thermoset).clm.	US-PGPUB
30	BRS	L30	0	(conductor and enamel and thermoset).clm.	US-PGPUB
31	IS&R	L31	2	("20020050899").PN.	US-PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB